

FRAME SIZE CHART - MULTIPLE WIDTH x SINGLE HEIGHT

FRAME SIZE/ COMBINATION	OVERALL HEIGHT			OVERALL WIDTH EXTERNAL							
	EXTERNAL MM	X1 MM	X2 MM	X3 MM	X4 MM	X5 MM	X6 MM	X7 MM	X8 MM	X9 MM	X10 MM
HMX-2X	121	140	270	400	530	660	790	920	1050	1180	1310
HMX-4X	179.5	140	270	400	530	660	790	920	1050	1180	1310
HMX-6X	238	140	270	400	530	660	790	920	1050	1180	1310
HMX-8X	296.5	140	270	400	530	660	790	920	1050	1180	1310

FRAME SIZE CHART - SINGLE WIDTH x MULTIPLE HEIGHT

FRAME SIZE/ COMBINATION	OVERALL HEIGHT			OVERALL WIDTH EXTERNAL							
	EXTERNAL MM	X1 MM	X2 MM	X3 MM	X4 MM	X5 MM	X6 MM	X7 MM	X8 MM	X9 MM	X10 MM
HMX-2+2X	232	140	270	400	530	660	790	920	1050	1180	1310
HMX-2+4X	290.5	140	270	400	530	660	790	920	1050	1180	1310
HMX-2+6X	349	140	270	400	530	660	790	920	1050	1180	1310
HMX-2+8X	407.5	140	270	400	530	660	790	920	1050	1180	1310
HMX-4+4X	349	140	270	400	530	660	790	920	1050	1180	1310
HMX-4+6X	407.5	140	270	400	530	660	790	920	1050	1180	1310
HMX-4+8X	466	140	270	400	530	660	790	920	1050	1180	1310
HMX-6+6X	466	140	270	400	530	660	790	920	1050	1180	1310
HMX-6+8X	524.5	140	270	400	530	660	790	920	1050	1180	1310
HMX-8+8X	583	140	270	400	530	660	790	920	1050	1180	1310

FOR SINGLE APERTURE STACK FRAMES ONLY

FRAME SIZE CHART - MULTIPLE WIDTH x SINGLE HEIGHT

FRAME SIZE	OVERALL HEIGHT	X1	X2	X3	X4	X5	X6	X7	X8	X9	X10
HMX-2+2X	242	270	400	530	660	790	920	1050	1180	1310	
HMX-2+4X	300.5	270	400	530	660	790	920	1050	1180	1310	
HMX-2+6X	359	270	400	530	660	790	920	1050	1180	1310	
HMX-2+8X	417.5	270	400	530	660	790	920	1050	1180	1310	
HMX-4+4X	359	270	400	530	660	790	920	1050	1180	1310	
HMX-4+6X	417.5	270	400	530	660	790	920	1050	1180	1310	
HMX-4+8X	476	270	400	530	660	790	920	1050	1180	1310	
HMX-6+6X	476	270	400	530	660	790	920	1050	1180	1310	
HMX-6+8X	534.5	270	400	530	660	790	920	1050	1180	1310	
HMX-8+8X	593	270	400	530	660	790	920	1050	1180	1310	

X = number of frames wide. Material thickness is 10 mm

MAXIMUM NUMBER OF CABLES/PIPES

FRAME SIZE	MODULAR SIZE			
	15	20	30	40
HMX-2	32	18	8	3
HMX-4	64	36	16	9
HMX-6	96	54	24	12
HMX-8	127	72	32	18



WEIGHT CHART IN KILOGRAMS

MATERIAL	FRAME SIZE/ COMBINATION	MILD STEEL						STAINLESS STEEL						ALUMINIUM						
		X1 KGS	X2 KGS	X3 KGS	X4 KGS	X5 KGS	X6 KGS	X1 KGS	X2 KGS	X3 KGS	X4 KGS	X5 KGS	X6 KGS	X1 KGS	X2 KGS	X3 KGS	X4 KGS	X5 KGS	X6 KGS	
MILD STEEL	2	2.2	3.7	5.3	7.6	9.6	11.3	2.2	3.7	5.3	7.6	9.6	11.3	2.2	3.7	5.3	7.6	9.6	11.3	
	4	2.8	4.8	6.4	8.5	10.6	12.6	2.8	4.8	6.4	8.5	10.6	12.6	2.8	4.8	6.4	8.5	10.6	12.6	
	6	3.4	5.6	7.8	10.0	12.3	14.7	3.4	5.6	7.8	10.0	12.3	14.7	3.4	5.6	7.8	10.0	12.3	14.7	
	8	3.7	6.1	8.6	11.0	13.5	16.1	3.7	6.1	8.6	11.0	13.5	16.1	3.7	6.1	8.6	11.0	13.5	16.1	
	2+2	3.8	8.3	12.0	15.9	19.9	23.7	3.8	8.3	12.0	15.9	19.9	23.7	3.8	8.3	12.0	15.9	19.9	23.7	
	2+4	4.3	9.0	12.9	16.9	21.1	25.0	4.3	9.0	12.9	16.9	21.1	25.0	4.3	9.0	12.9	16.9	21.1	25.0	
	2+6	1.9	9.4	13.7	18.0	22.3	26.4	1.9	9.4	13.7	18.0	22.3	26.4	1.9	9.4	13.7	18.0	22.3	26.4	
	2+8	5.6	10.5	14.8	19.3	23.9	28.3	5.6	10.5	14.8	19.3	23.9	28.3	5.6	10.5	14.8	19.3	23.9	28.3	
	4+4	4.9	9.4	13.5	16.8	22.3	26.4	4.9	9.4	13.5	16.8	22.3	26.4	4.9	9.4	13.5	16.8	22.3	26.4	
	4+6	5.5	10.5	14.8	19.3	23.9	28.3	5.5	10.5	14.8	19.3	23.9	28.3	5.5	10.5	14.8	19.3	23.9	28.3	
	4+8	6.0	11.3	15.9	20.7	25.5	30.2	6.0	11.3	15.9	20.7	25.5	30.2	6.0	11.3	15.9	20.7	25.5	30.2	
	6+6	5.7	11.2	15.9	20.7	25.5	28.0	5.7	11.2	15.9	20.7	25.5	28.0	5.7	11.2	15.9	20.7	25.5	28.0	
	6+8	6.4	12.2	17.1	22.3	27.5	32.5	6.4	12.2	17.1	22.3	27.5	32.5	6.4	12.2	17.1	22.3	27.5	32.5	
	8+8	7.0	13.1	17.0	23.9	29.5	34.9	7.0	13.1	17.0	23.9	29.5	34.9	7.0	13.1	17.0	23.9	29.5	34.9	
	STAINLESS STEEL	2	3.0	4.0	5.9	7.7	9.5	11.3	3.0	4.0	5.9	7.7	9.5	11.3	3.0	4.0	5.9	7.7	9.5	11.3
		4	2.8	4.9	6.8	8.7	10.7	12.7	2.8	4.9	6.8	8.7	10.7	12.7	2.8	4.9	6.8	8.7	10.7	12.7
6		3.3	5.5	7.7	10.3	12.3	14.6	3.3	5.5	7.7	10.3	12.3	14.6	3.3	5.5	7.7	10.3	12.3	14.6	
8		3.9	6.6	9.2	11.8	14.4	17.0	3.9	6.6	9.2	11.8	14.4	17.0	3.9	6.6	9.2	11.8	14.4	17.0	
2+2		3.8	8.4	12.3	16.2	20.1	24.0	3.8	8.4	12.3	16.2	20.1	24.0	3.8	8.4	12.3	16.2	20.1	24.0	
2+4		4.2	8.9	13.0	17.0	21.1	25.1	4.2	8.9	13.0	17.0	21.1	25.1	4.2	8.9	13.0	17.0	21.1	25.1	
2+6		5.0	9.8	14.1	18.3	22.6	26.8	5.0	9.8	14.1	18.3	22.6	26.8	5.0	9.8	14.1	18.3	22.6	26.8	
2+8		5.5	10.5	15.0	19.5	24.0	28.5	5.5	10.5	15.0	19.5	24.0	28.5	5.5	10.5	15.0	19.5	24.0	28.5	
4+4		5.0	9.8	14.1	18.3	22.6	26.8	5.0	9.8	14.1	18.3	22.6	26.8	5.0	9.8	14.1	18.3	22.6	26.8	
4+6		5.5	10.5	15.0	19.5	24.0	28.5	5.5	10.5	15.0	19.5	24.0	28.5	5.5	10.5	15.0	19.5	24.0	28.5	
4+8		5.9	11.5	16.3	21.1	25.9	30.7	5.9	11.5	16.3	21.1	25.9	30.7	5.9	11.5	16.3	21.1	25.9	30.7	
6+6		6.8	11.2	15.9	20.8	25.6	30.4	6.8	11.2	15.9	20.8	25.6	30.4	6.8	11.2	15.9	20.8	25.6	30.4	
6+8		6.8	12.4	17.6	22.7	27.9	33.0	6.8	12.4	17.6	22.7	27.9	33.0	6.8	12.4	17.6	22.7	27.9	33.0	
8+8		7.5	13.1	18.9	24.2	30.0	35.3	7.5	13.1	18.9	24.2	30.0	35.3	7.5	13.1	18.9	24.2	30.0	35.3	
ALUMINIUM		2	0.8	1.3	2.1	2.7	3.3	3.9	0.8	1.3	2.1	2.7	3.3	3.9	0.8	1.3	2.1	2.7	3.3	3.9
		4	1.0	1.7	2.2	2.9	3.5	4.2	1.0	1.7	2.2	2.9	3.5	4.2	1.0	1.7	2.2	2.9	3.5	4.2
	6	2.0	1.9	2.8	3.5	4.2	5.1	2.0	1.9	2.8	3.5	4.2	5.1	2.0	1.9	2.8	3.5	4.2	5.1	
	8	1.4	2.1	3.0	3.9	4.8	5.7	1.4	2.1	3.0	3.9	4.8	5.7	1.4	2.1	3.0	3.9	4.8	5.7	
	2+2	1.4	2.9	4.3	5.6	7.0	8.3	1.4	2.9	4.3	5.6	7.0	8.3	1.4	2.9	4.3	5.6	7.0	8.3	
	2+4	1.4	3.0	4.4	5.8	7.1	8.5	1.4	3.0	4.4	5.8	7.1	8.5	1.4	3.0	4.4	5.8	7.1	8.5	
	2+6	1.8	3.4	4.9	6.3	7.8	9.2	1.8	3.4	4.9	6.3	7.8	9.2	1.8	3.4	4.9	6.3	7.8	9.2	
	2+8	1.8	3.5	5.1	6.6	8.2	9.7	1.8	3.5	5.1	6.6	8.2	9.7	1.8	3.5	5.1	6.6	8.2	9.7	
	4+4	1.8	3.4	4.9	6.3	7.8	9.2	1.8	3.4	4.9	6.3	7.8	9.2	1.8	3.4	4.9	6.3	7.8	9.2	
	4+6	1.8	3.5	5.1	6.6	8.2	9.7	1.8	3.5	5.1	6.6	8.2	9.7	1.8	3.5	5.1	6.6	8.2	9.7	
	4+8	2.2	4.0	5.6	7.3	8.9	10.5	2.2	4.0	5.6	7.3	8.9	10.5	2.2	4.0	5.6	7.3	8.9	10.5	
	6+6	2.1	3.9	5.6	7.3	8.9	10.5	2.1	3.9	5.6	7.3	8.9	10.5	2.1	3.9	5.6	7.3	8.9	10.5	
	6+8	2.4	4.3	5.9	7.6	9.4	11.1	2.4	4.3	5.9	7.6	9.4	11.1	2.4	4.3	5.9	7.6	9.4	11.1	
	8+8	2.4	4.4	6.5	8.4	10.3	12.2	2.4	4.4	6.5	8.4</									